



Made in USA & Plenum Rated

A new line of general use cable ties from 3M

Made in USA

These ties are made of high quality 6/6 nylon in the USA, which offers excellent availability (the 3M™ Cable Tie 48" is imported and not plenum rated).

Available in two colors:

- Black (indoor/outdoor, UV-weather resistant)
- Natural (indoor)

Available in 8 industry-standard lengths to accommodate your needs: 4", 6", 8", 11", 15", 24", 36" and 48".

UL Listing

- These ties are UL tested and suitable for use in air handling spaces in accordance with Section 300.22 (C) and (D) of the National Electrical Code (all 3M cable ties, except for the 48" ties, are plenum rated).
- The 36- and 48-inch ties are UL Listed 181B-C mechanical fasteners for use with flexible air ducts.

In 5 tensile strengths for light to heavy-duty jobs

- Miniature Ties: 18 lbs.
- Intermediate Ties: 40 lbs.
- Standard Ties: 50 lbs.
- Heavy-Duty Ties: 120 lbs.
- Extra Heavy-Duty Ties: 175 lbs.

Packaged in quantities designed to meet common customer needs

- Small packouts of 50 or 100 ties
- Bulk bags of 500 or 1000 ties

Mounting bases available in a variety of sizes and configurations.

Made to 3M quality standards


- 3M is legendary not just for its innovation but also for providing quality products on which customers can rely.



Plenum rated

The new packaging for these cable ties clearly highlights the plenum rating and confirms that the ties meet the National Electrical Code 300.22 C/D standard.

“Plenum” refers either to the space between the structural ceiling and the dropped ceiling or the space under a raised floor that can facilitate air circulation for heating and air conditioning systems. It often houses the communication cables for the building’s computer and telephone network. Cable and piping within a plenum must be rated for its fire and smoke indices.





The product name has been changed to better identify the characteristics of each tie.

CT S C T X - P

Example:

Catalog Number: MNG18-4 FB/SK

CT S C T X - P


CT = Cable Ties	S = length (inches)	C = Color	T = Tensile	X = Special Features	P = Package Size (Roman Numeral)
		BK = Black NT = Natural	18 = Miniature 40 = Intermediate 50 = Standard 120 = Light Heavy Duty 175 = Heavy Duty	_ = Standard Tie (Blank) B = Base S = Screw Mount	M = 1,000 D = 500 C = 100 L = 50

3M™ Miniature Ties (18 lb., 8 kg)



New Part Number	New UPC	Old Part Number	Old UPC	Length in (mm)	Width in (mm)	Max Bundle Dia. in (mm)	Bag Qty.	Color
CT4BK18-C	051128-59273	06200	054007-06200	4.1 (104)	.1 (3)	.75 (19)	100	Black
CT4BK18-M	051128-59274	06270	054007-06270	4.1 / 104	.1 (3)	.75 (19)	1000	Black
CT4NT18-C	051128-59275	06224	054007-06224	4.1 / 104	.1 (3)	.75 (19)	100	Natural
CT4NT18-M	051128-59276	06248	054007-06248	4.1 / 104	.1 (3)	.75 (19)	1000	Natural
CT6BK18-C	051128-59277	53169	051128-53169	6.1 / 155	.1 (3)	1.25 (32)	100	Black
CT6NT18-C	051128-59278	53168	051128-53168	6.1 / 155	.1 (3)	1.25 (32)	100	Natural
CT6NT18-M	051128-59279	53219	051128-53219	6.1 / 155	.1 (3)	1.25 (32)	1000	Natural
CT8BK18-C	051128-59280	53173	051128-53173	8.1 / 206	.1 (3)	2 (51)	100	Black
CT8BK18-M	051128-59281	53224	051128-53224	8.1 / 206	.1 (3)	2 (51)	100	Black
CT8NT18-C	051128-59282	53172	051128-53172	8.1 / 206	.1 (3)	2 (51)	100	Natural
CT8NT18-M	051128-59283	53223	051128-53223	8.1 / 206	.1 (3)	2 (51)	100	Natural

3M™ Intermediate Ties (40 lb., 18 kg)




New Part Number	New UPC	Old Part Number	Old UPC	Length in (mm)	Width in (mm)	Max Bundle Dia. in (mm)	Bag Qty.	Color
CT6BK40-C	051128-59284	06201	054007-06201	5.8 (147)	.14 (3,6)	1.25 (32)	100	Black
CT6BK40-M	051128-59285	06271	054007-06271	5.8 (147)	.14 (3,6)	1.25 (32)	1000	Black
CT6NT40-C	051128-59286	06225	054007-06225	5.8 (147)	.14 (3,6)	1.25 (32)	100	Natural
CT6NT40-M	051128-59287	06249	054007-06249	5.8 (147)	.14 (3,6)	1.25 (32)	1000	Natural
CT8BK40-C	051128-59288	53175	051128-53175	8.9 (226)	.14 (3,6)	2 (51)	100	Black
CT8BK40-M	051128-59289	53226	051128-53226	8.9 (226)	.14 (3,6)	2 (51)	1000	Black
CT8NT40-C	051128-59290	53174	051128-53174	8.9 (226)	.14 (3,6)	2 (51)	100	Natural
CT8NT40-M	051128-59291	53225	051128-53225	8.9 (226)	.14 (3,6)	2 (51)	1000	Natural

3M™ Standard Ties (50 lb., 23 kg)




New Part Number	New UPC	Old Part Number	Old UPC	Length in (mm)	Width in (mm)	Max Bundle Dia. in (mm)	Bag Qty.	Color
CT8BK50-C	051128-59284	06201	054007-06201	7.6 (193)	.18 (4,6)	2 (51)	100	Black
CT8BK50-M	051128-59285	06271	054007-06271	7.6 (193)	.18 (4,6)	3 (76)	1000	Black
CT8NT50-C	051128-59286	06225	054007-06225	7.6 (193)	.18 (4,6)	3 (76)	100	Natural
CT8NT50-M	051128-59287	06249	054007-06249	7.6 (193)	.18 (4,6)	3 (76)	1000	Natural
CT11BK50-C	051128-59288	53175	051128-53175	11.1 (282)	.18 (4,6)	3 (76)	100	Black
CT11BK50-D	051128-59289	53226	051128-53226	11.1 (282)	.18 (4,6)	3 (76)	500	Black
CT11NT50-C	051128-59290	53174	051128-53174	11.1 (282)	.18 (4,6)	3 (76)	100	Natural
CT11NT50-D	051128-59291	53225	051128-53225	11.1 (282)	.18 (4,6)	3 (76)	500	Natural
CT15BK50-C	051128-59293	06202	054007-06202	14.6 (371)	.18 (4,6)	4 (102)	100	Black
CT15BK50-D	051128-59294	06272	054007-06272	14.6 (371)	.18 (4,6)	4 (102)	100	Black
CT15NT50-C	051128-59297	06226	054007-06226	14.6 (371)	.18 (4,6)	4 (102)	100	Natural
CT15NT50-D	051128-59309	06252	054007-06252	14.6 (371)	.18 (4,6)	4 (102)	100	Natural

3M™ Heavy Duty Ties (120 lb., 54 kg)



New Part Number	New UPC	Old Part Number	Old UPC	Length in (mm)	Width in (mm)	Max Bundle Dia. in (mm)	Bag Qty.	Color
CT8BK120-L	051128-59310	06206	054007-06206	9 (229)	.30 (7,6)	2 (51)	50	Black
CT8NT120-L	051128-59311	06229	054007-06229	9 (229)	.30 (7,6)	2 (51)	50	Natural
CT15BK120-C	051128-59312	06207	054007-06207	15 (381)	.30 (7,6)	4 (102)	100	Black
CT15BK120-D	051128-59313	06277	054007-06277	15 (381)	.30 (7,6)	4 (102)	500	Black
CT15NT120-C	051128-59314	06243	054007-06243	15 (381)	.30 (7,6)	4 (102)	100	Natural
CT15NT120-D	051128-59317	06264	054007-06264	15 (381)	.30 (7,6)	4 (102)	500	Natural

3M™ Extra Heavy Duty Ties (175 lb., 79 kg)



New Part Number	New UPC	Old Part Number	Old UPC	Length in (mm)	Width in (mm)	Max Bundle Dia. in (mm)	Bag Qty.	Color
CT24BK175-L	051128-59318	53228	051128-53228	24 (610)	.34 (8,6)	7.2 (183)	50	Black
CT24NT175-L	051128-59319	53227	051128-53227	24 (610)	.34 (8,6)	7.2 (183)	50	Natural
CT36BK175-L	051128-59320	53185	051128-53185	36 (914)	.34 (8,6)	11 (279)	50	Black
CT36NT175-L	051128-59321	53184	051128-53184	36 (914)	.34 (8,6)	11 (279)	50	Natural
CT48BK175-L	051128-59322	53187	051128-53187	47.9 (1217)	.36 (9,1)	14.7 (373)	50	Black
CT48NT175-L	051128-59323	53186	051128-53186	47.9 (1217)	.36 (9,1)	14.7 (373)	50	Natural

3M™ Screw Mount Ties (Standard #10 Stud)



New Part Number	New UPC	Old Part Number	Old UPC	Length in (mm)	Width in (mm)	Max Bundle Dia. in (mm)	Tensile lb (kg)	Bag Qty.	Color
CT8BK50S-C	051128-59292	06205	054007-06205	8.6 (218)	.18 (4,6)	2 (51)	50 (23)	100	Black
CT8BK50S-M	051128-59295	06275	054007-06275	8.6 (218)	.18 (4,6)	2 (51)	50 (23)	1000	Black
CT8NT50S-C	051128-59296	06232	054007-06232	8.6 (218)	.18 (4,6)	2 (51)	50 (23)	100	Natural
CT8NT50S-M	051128-59298	06256	054007-06256	8.6 (218)	.18 (4,6)	2 (51)	50 (23)	1000	Natural
CT15NT50S-L	051128-59306	06234	054007-06234	15.1 (384)	.18 (4,6)	4 (102)	50 (23)	50	Natural
CT15NT50S-D	051128-59308	06258	054007-06258	15.1 (384)	.18 (4,6)	4 (102)	50 (23)	500	Natural
CT15NT120S-L	051128-59314	06243	054007-06243	15.7 (399)	.30 (7,6)	4 (102)	120 (54)	50	Natural
CT15NT120S-D	051128-59316	06267	054007-06267	15.7 (399)	.30 (7,6)	4 (102)	120 (54)	500	Natural

3M™ Mounting Bases

	Part Number	Dimensions L x W x H in (mm)	Slot Width in (mm)	Slot Height in (mm)	Color	Mount Type	Bag Qty.	Material	Color
	06294	.74 x .74 x .22 (19 x 19 x 5,6)	.21 (5,1)	.06 (1,5)	Natural	Foam Backed Adhesive	100	Nylon	Black
	06295	.74 x .74 x .22 (19 x 19 x 5,6)	.21 (5,1)	.06 (1,5)	UV Resistant Black	Foam-Backed Adhesive	100	Nylon	Black
	06296	.99 x .99 x .22 (25 x 25 x 5,6)	.21 (5,1)	.06 (1,5)	Natural	Foam-Backed Adhesive	100	Nylon	Natural
	06297	.99 x .99 x .22 (25 x 25 x 5,6)	.21 (5,1)	.06 (1,5)	UV Resistant Black	Foam-Backed Adhesive	100	Nylon	Natural
	06290	2.0 x 1.0 x .35 (51 x 25 x 8,9)	.21 (5,1)	.18 (4,5)	Ivory	Foam-Backed Adhesive	100	ABS	Natural
	06291	2.0 x 1.0 x .35 (51 x 25 x 8,9)	.21 (5,1)	.18 (4,5)	Ivory	Foam-Backed Adhesive	250	ABS	Natural
	06292	1.0 x 1.2 x .15 (25 x 25 x 3,8)	.21 (5,1)	.06 (1,5)	Ivory	Foam-Backed Adhesive (Screw Mount)	100	ABS	Natural
	06293	1.0 x 1.2 x .15 (25 x 25 x 3,8)	.21 (5,1)	.06 (1,5)	Ivory	Foam-Backed Adhesive (Screw mount)	250	ABS	Natural
	06298*	.60 x .41 x .28 (15 x 10 x 7,0)	.27 (7)	.08 (2,0)	Natural	Screw Mount	100	Nylon	
	06299*	.87 x .62 x .38 (22 x 16 x 10)	.51 (13)	.08 (2,0)	Natural	Screw Mount	100	Nylon	

*The 3M™ Mounting Bases 06298 and 06299 are not made in the USA.

3M is a trademark of 3M Company.

Important Notice

Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use.

Warranty; Limited Remedy; Limited Liability.

This product will be free from defects in material and manufacture at the time of purchase. **3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. **Except where prohibited by law, 3M will not be liable for any indirect, special, incidental or consequential loss or damage arising from this 3M product, regardless of the legal theory asserted.**



Electrical Markets Division

6801 River Place Blvd.
Austin, TX 78726-9000
800 245 3573
Fax 800 245 0329
www.3M.com/electrical

Please Recycle.
© 3M 2011. All rights reserved.
80-6016-0533-2